References



References

ANSP. 1997. PCB Concentrations in Fishes and Benthic Insects from the Housatonic River, Connecticut, in 1984 to 1996.

ANSP. 2001. PCB Concentrations in Fishes from the Housatonic River, Connecticut, 1984 – 2000, and in Benthic Insects, 1978-2001.

BBL. 1994. MCP Supplemental Phase II Scope of Work and Proposal for RCRA Facility Investigation of Housatonic River and Silver Lake (Phase II SOW/RFI Proposal). Prepared for GE, Pittsfield, MA.

BBL. 1995. Addendum to the MCP Supplemental Phase II Scope of Work and Proposal for RCRA Facility Investigation of Housatonic River and Silver Lake (Addendum to Phase II SOW/RFI Proposal). Prepared for GE, Pittsfield, MA.

BBL. 1996. Supplemental Phase II/RCRA Facility Investigation Report for Housatonic River and Silver Lake (1996 RFI Report). Prepared for GE, Pittsfield, MA.

BBL. 1997. Building 68 Removal Action Work Plan. Prepared for GE, Pittsfield, MA.

BBL. 1999a. Removal Action Work Plan - Upper 1/2-Mile Reach of Housatonic River (Upper 1/2-Mile Work Plan). Prepared for GE, Pittsfield, MA.

BBL. 1999b. Statement of Work for Removal Actions Outside the River (SOW). Prepared for GE, Pittsfield, MA.

BBL. 2000a. Baseline Monitoring Program Proposal for Plant Site 1 Groundwater Management Area. Prepared for GE, Pittsfield, MA.

BBL. 2000b. Completion of Work Report for Building 68 Removal Action. Prepared for GE, Pittsfield, MA.

BBL. 2002a. Plant Site 1 Groundwater Management Area NAPL Monitoring Report for Fall 2001. Prepared for GE, Pittsfield, MA.

BBL. 2002b. Plant Site 1 Groundwater Management Area NAPL Monitoring Report for Spring 2002. Prepared for GE, Pittsfield, MA.

BBL. 2002c. Pre-Design Investigation Work Plan for Floodplain Properties Adjacent to the 11/2-Mile Reach of the Housatonic River. Prepared for GE, Pittsfield, MA.

BBL. 2002d. Addendum to the Pre-Design Investigation Work Plan for Floodplain Properties Adjacent to the 1½-Mile Reach of the Housatonic River. Prepared for GE, Pittsfield, MA.

BBL. 2002e. Pre-Design Investigation Work Plan for the Silver Lake Area Removal Action. Prepared for GE, Pittsfield, MA.

BBL. 2002f. Pre-Design Investigation Work Plan for Floodplain Residential Properties Downstream of the Confluence. Prepared for GE, Pittsfield, MA.

Bedard, D.L. and R.J. May. 1996. Characterization of the polychlorinated biphenyls (PCBs) in the sediments of Woods Pond: Evidence for in situ dechlorination of Aroclor 1260. Environ. Sci. Technol., 30:237-245.

Bedard, D.L. and J.F. Quensen, III. 1995. Microbial reductive dechlorination of polychlorinated biphenyls. In: Microbial Transformation and Degradation of Toxic Organic Chemicals. Eds. L.Y. Yound and C. Cerniglia, John Wiley & Sons, Inc.: New York, NY.

Bedard, D.L., S.C. Bunnell, and L.A. Smullen. 1996. Stimulation of microbial para-dechlorination of polychlorinated biphenyls that have persisted in Housatonic River sediments for decades. Environ. Sci. Technol., 30:687-694.

Bedard, D.L., H.M. Van Dort, R.J. May, and L.A. Smullen. 1997. Enrichment of microorganisms that sequentially meta, para-Dechlorinate the residue of Aroclor 1260 in Housatonic River sediment. Environ. Sci. Technol., 31:3308-3313.

Bedient, P. and W. Huber. 1992. Hydrology and Floodplain Analysis. Second Edition. Addison-Wesley Publishing Company: Reading, MA.

Bent, G.C. 1999. Streamflow, Base Flow, and Ground-Water Recharge in the Housatonic River Basin, Western Massachusetts and Parts of Eastern New York and Northwestern Connecticut.

Blasland & Bouck. 1991. MCP Interim Phase II Report/Current Assessment Summary for Housatonic River (Interim Phase II Report/CAS). Prepared for GE, Pittsfield, MA.

Blasland & Bouck. 1992. Addendum to the MCP Interim Phase II Report/Current Assessment Summary for Housatonic River (Interim Phase II Report/CAS Addendum). Prepared for GE, Pittsfield, MA.

Brown, J.F., D.L. Bedard, M.J. Brennan, J.C. Carnahan, H. Feng, and R.E. Wagner. 1987a. PCB dechlorination in aquatic sediments. Science, 236:709-712.

Brown, J.F., R.E. Wagner, H. Feng, D. Bedard, M. Brennan, J. Carnahan, and R. May. 1987b. Environmental dechlorination of PCBs. Environ. Tox. Chem., 6:579-593.

Canonie Environmental. 1995. Proposal for the Preliminary Investigation of Corrective Measures for Housatonic River and Silver Lake Sediment (PICM Proposal).

CDPH. 2002. Connecticut Safe Fish Consumption Guide.

Chadwick and Associates. 1994. Aquatic Ecology Assessment of the Housatonic River, Massachusetts. Prepared for GE, Pittsfield, MA.

Chapra, S.C. 1997. Surface Water-Quality Modeling. McGraw-Hill: New York, NY.

ChemRisk. 1996. Proposal for Human Health Risk Assessment of the Housatonic River. Prepared for GE, Pittsfield, MA.

Connolly, J.P., T.F. Parkerton, J.D. Quadrini, S.T. Taylor, and A.J. Thuman. 1992. Development and Application of a Model of PCBs in the Green Bay, Lake Michigan Walleye and Brown Trout and Their Food Webs. Report for Large Lakes Research Station, EPA, Grosse Ile, Michigan 48138, Cooperative Agreement CR-815396.

CR. 1998. Housatonic River Supplemental Investigation Sub-Bottom Profiling – Woods and Rising Ponds. Prepared for Weston, Manchester, NH.

de Boer, J., F. van der Valk, M.A.T. Kerhoff, and P. Hagel. 1994. 8-year study on the elimination of PCBs and other organochlorine compounds from eel (Anguilla anguilla) under natural conditions. Environ. Sci. Technol., 28:2242-2248.

EHC Corporation. 1991. Groundwater Resources Investigations – Altresco Cogeneration Inc. Volume 1.

Eitzer. 1993. Comparison of point and nonpoint sources of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans to sediments of the Housatonic River. Environ. Sci. Technol., 27:1632-1637.

EPA. 2000a. Final Draft Engineering Evaluation/Cost Analysis for the Upper Reach of the Housatonic River (EE/CA Report).

EPA. 2000b. Final Addendum to the Engineering Evaluation/Cost Analysis for the Upper Reach of the Housatonic River (EE/CA Addendum).

EPA. 2000c. Action Memorandum Dated November 21, 2000 Regarding Request for Removal Action, Housatonic River 1 ½-Mile Reach at the GE-Pittsfield/Houstonic River Site, Pittsfield, MA.

EPA. 2001. Phase I Human Health Risk Assessment for Rest of River (Phase 1 HHRA).

EPA. 2002. BASINS GIS Core Data for the Housatonic River Watershed (USGS Cataloging Unit: 01100005). http://www.epa.gov/waterscience/ftp/basins/gis_data/huc/.

Erickson, M.D. 1997. Analytical Chemistry of PCBs. Second edition. CRC Press: Boca Raton, FL.

Evans, H.E. 1988. The binding of three PCB congeners to dissolved organic carbon in freshwaters. Chemosphere, 17:2325-2338.

FEMA. 1981a. Flood Insurance Study – Town of Sheffield, MA. Federal Insurance Administration: March 16, 1981.

FEMA.1981b. Flood Insurance Study – Town of Lee, MA. Federal Insurance Administration: December 1, 1981.

FEMA. 1982a. Flood Insurance Study - Town of Great Barrington, MA. Federal Insurance Administration: January 5, 1982.

FEMA. 1982b. Flood Insurance Study – Town of Lenox, MA. Federal Insurance Administration: January 5, 1982.

FEMA. 1982c. Flood Insurance Study – Town of Stockbridge, MA. Federal Insurance Administration: January 5, 1982.

FEMA. 1982d. Flood Insurance Study - City of Pittsfield, MA. Federal Insurance Administration: Revised February 1982.

FEMA. 1987. Flood Insurance Study – City of Pittsfield, MA. Federal Insurance Administration: January 16, 1987.

Frink, C.R., B.L. Sawhney, K.P. Kulp, and C.G. Fredette. 1982. Polychlorinated Biphenyls in Housatonic River Sediments in Massachusetts and Connecticut: Determination, Distribution, and Transport. A Cooperative Study by CAES, CDEP, and USGS.

Gay, F.G. and M.H. Frimpter. 1984. Distribution of Polychlorinated Biphenyls in the Housatonic River and Adjacent Aguifer, Massachusetts: Open-File Report 84-588. Prepared for USGS.

Gobas, F.A.P.C., D.C.G. Muir, and D. Mackay, 1989. Dynamics of dietary bioaccumulation and fecal elimination of hydrophobic organic chemicals in fish. Chemosphere, 17:943-962.

Harza. 1988. Woods Pond Dam Phase II Field Investigation Report.

Harza. 1991. Report on Six Housatonic River Dams.

Harza. 1994. Inventory of Stability and Safety of Dams Along the Housatonic River.

Harza. 2001a. Woods Pond Dam: Structural Integrity Assessment. Prepared for GE, Pittsfield, MA.

Harza. 2001b. Rising Paper Dam: Structural Integrity Assessment. Prepared for GE, Pittsfield, MA.

HydroQual, Inc. 1995. Bioaccumulation of Superlipophilic Organic Chemicals: Data Compilation and Analysis. Prepared for ABT Associates, Bethesda, MD.

IADN. 1998. Atmospheric Deposition of Toxic Substances to the Great Lakes: IADN Results through 1998. Environment Canada and EPA. EPA Report No. 905-R-01-007.

Krishnaswami, S., D. Lai, J.M. Martin, and M. Meybeck. 1971. Geochronology of lake sediments. Earth Planet. Sci. Lett., 11:407-414.

Landrum, P.F., M.D. Reinhold, S.R. Nihart, and B.J. Eadie. 1985. Predicting the bioavailability of organic xenobiotics to Pontoporeia hoyi in the presence of humic and fulvic materials and natural dissolved organic matter. Environ. Tox. Chem., 4:459-467.

Landrum, P.F., S.R. Nihart, B.J. Eadie, and L.R. Herche. 1987. Reduction in bioavailability of organic contaminants to the amphipod Pontoporeia hovi by dissolved organic matter of sediment interstitial waters. Environ. Tox. Chem., 6:11-20.

Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. Fluvial Processes in Geomorphology. W.H. Freeman and Company: San Francisco, CA.

Lieb, A.J., D.D. Bills, and R.O. Sinnhuber. 1974. Accumulation of dietary polychlorinated biphenyls (Aroclor 1254) by rainbow trout (Salmo gairdneri). Agr. Food Chem., 22:638-642.

LMS. 1985. Housatonic River PCB Management Study.

Mackay, D., W.Y. Shiu, and K.C. Ma. 1992a. Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals: Volume 1, Monoaromatic Hydrocarbons, Chlorobenzenes and PCBs. Lewis Publishers: Chelsea, MI.

Mackay, D., W.Y. Shiu, and K.C. Ma. 1992b. Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals: Volume 2, Polynuclear Aromatic Hydrocarbons, Polychlorinated Dioxins, and Dibenzofurans. Lewis Publishers: Chelsea, MI.

MDPH. 1999. Statewide Provisional Waterfowl Consumption Advisory – August 1999. Retrieved from: http://www.state.ma.us/dph/beha/waterfow.htm.

MDPH. 2002. Freshwater Fish Consumption Advisory List. Retrieved from: http://www.state.ma.us/dph/beha/fishlist.htm.

MTI. 1997. Removal Action Operations Plan. Prepared for Building 68 Area Removal Action for GE, Pittsfield, MA.

NERBC. 1980. Housatonic River Basin Overview.

Norvitch, R.F., D.F. Farrell, F.H. Pauszek, and R.G. Peterson. 1968. Hydrology and Water Resources of the Housatonic River Basin, Massachusetts: Hydrologic Investigations Atlas HA-281. Prepared for USGS.

Pennington, W., R.S. Cambray, and E.M.U. Fisher. 1973. Observations on lake sediment using fallout ¹³⁷Cs as a tracer. Nature (London), 242:324-326.

QEA. 1999. PCBs in the Upper Hudson River. Volume 2: A Model of PCB Fate, Transport, and Bioaccumulation. Prepared for GE, Albany, NY.

R2. 2002. Evaluation of Largemouth Bass Habitat, Population Dynamics, and Reproduction in the Upper Housatonic River, Massachusetts, Second Draft Report. Prepared for GE, Pittsfield, MA.

Rosgen, D.L. 1996. Applied River Morphology.

Sijm, D.T.H.M., W. Seinen, and A. Opperhuizen. 1992. Life-cycle biomagnification study in fish. Environ. Sci. Technol., 26:2162-2174.

Sokol, R.C., C.M. Bethoney, and G.Y. Rhee. 1998. Effect of Aroclor 1248 concentration on the rate and extent of polychlorinated biphenyl dechlorination. Environ. Toxicol. Chem., 17:1922-1926.

Stange, K. and D.L. Swackhamer. 1994. Factors affecting phytoplankton species-specific differences in accumulation of 40 polychlorinated biphenyls (PCBs). Environ. Toxicol. Chem., 13:1849-1860.

Stapleton, H.M., R.J. Letcher, and J.E. Baker. 2001. Metabolism of PCBs by the deepwater sculpin (Myoxocephalus thompsoni). Environ. Sci. Technol., 35:4747-4752.

Stevenson, J.C. 1988. Comparative ecology of submersed grass beds in freshwater, estuarine, and marine environments. Limnol. Oceanogr., 33:867-893.

Stewart. 1982. Housatonic River Study – 1980 and 1982 Investigations.

TechLaw, Inc. 1998. Preliminary Report: Wetland Characterization and Function-Value Assessment, Housatonic River from Newell Street to Woods Pond. Boston, MA.

Thomann, R.V. 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. Environ. Sci. Technol., 23:699-707.

Tracey, G.A. and D.J. Hansen. 1996. Use of biota-sediment accumulation factors to assess similarity of non-ionic organic chemical exposure to benthically-coupled organisms of differing trophic mode. Arch. Environ. Contam. Toxicol., 30:467-475.

USGS. 1983. Trends in Polychlorinated Biphenyl Concentrations in Hudson River Water Five Years After Elimination of Point Sources. USGS Water-Resources Investigations Report 83-2406.

USGS. 2000. Suspended-Sediment Characteristics in the Housatonic River Basin, Western Massachusetts and Parts of Eastern New York and Northwestern Connecticut, 1994-96. USGS Water-Resources Investigations Report 00-4059.

USGS. 2002. USGS website. Retrieved from: http://waterdata.usgs.gov/nwis.

van den Berg et al. 1998. Toxic Equivalency Factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. Environmental Health Perspectives, 106:775-792.

van Dort, H.M., L.A. Smullen, R.J. May, and D.L. Bedard. 1997. Priming microbial meta-dechlorination of polychlorinated biphenyls that have persisted in Housatonic River sediments for decades. Environ. Sci. Technol., 31:3300-3307.

van Rijn, L.C. 1984. Sediment transport, Part I: Bed load transport. J. Hydr. Engrg., ASCE 110(10):1431-1456.

Weston. 2000. Final Supplemental Investigation Work Plan for the Lower Housatonic River (SI Work Plan). Prepared for USACE New England District, Concord, MA.

Weston. 2002. Rest of River Site Investigation Data Report (SI Data Report). Prepared for USACE New England District, Concord, MA and EPA.

Wetzel, R.G. 2001. Limnology – Lake and River Ecosystems. Academic Press: New York, NY.

Wilson, W.E., E.L. Burke, and C.E. Thomas. 1974. Water Resources Inventory of Connecticut -Part 5 - Lower Housatonic River Basin: Connecticut Water Resources Bulletin No. 19. Prepared for USGS.

Wong, C.S., P.D. Capel, and L.H. Nowell. 2001. National-scale, field-based evaluation of the biotasediment accumulation factor model. Environ. Sci. Technol., 35:1709-1715.

Wu, Q., D.L. Bedard, and J. Weigel. 1997. Effect of incubation temperature on the route of microbial reductive dechlorination of 2,3,4,6-tetrachlorobiphenyl in polychlorinated biphenyl (PCB)-contaminated and PCB-free freshwater sediments. J. Applied Environ. Microbiol., 63:2386-2843.

Zorex Environmental Engineers. 1992. Ambient Air Monitoring for PCB Study.

Zorex Environmental Engineers and Berkshire Environmental Consultants. 1996. Ambient Air Monitoring for PCB: May 10, 1995 through August 24, 1995.